

● ● ● ● ●
SOUTHWEST **SOLUTIONS** GROUP
business organization systems

SWIFTSPACE

Fast and Flexible workspace in seconds.



Specifications Guide and Price List

May 2013 Version 18

INDEX

Products & Pricing

90 Degree Workstations	1
120 Degree Workstations	2
180 Degree Workstations	3
Specialty Workstations	4
Rendezvous Mobile Meeting Rooms	5-6
Mobile Tables	7
Mobile Table Tops	8
Bookcases & Pedestals	9
Communication & Privacy Panels	10
Mobile Wall Systems	11
Enhancements	12-13
General Specifications	14
Model Number Key	15
Model Selection Chart	16-20

Applications

Handling of Electrical & Data	21
Height Adjustable Work Surfaces	22
Applications	23-28

Models

One, Two, Three	29
6'X6' L-Shaped	30
8'X8' L-Shaped	31
6' Straight Surface	32
Space-saver L-Shaped	33
Space-saver Straight Surface	34

Surfaces

Laminate Colour Chart	35
Powdercoating Colour Chart	36

Accessories

Accessories	37-38
-------------	--------------

Information

Condition of Sales, Return Policy & Warranty	39
Environmental Footprint	40
Ordering Information	41

Products & Pricing

90 DEGREE WORKSTATIONS



Standard Workstation Sizes and Configurations

Space-saver L-Shaped Page 33

Footprint	Model Name	Part Number	Price
54x54	Social+	SS90D2948L2948R	\$2,920
54x54	Solo	SS90D4148L4148R	\$3,651
54x54	Solo+	SS90D5248L5248R	\$3,760
54x54	Summit	SS90D6648L6648R	\$4,975

6X6' L-Shaped Page 30

Footprint	Model Name	Part Number	Price
73x73	Social+	SS90D2966L2966R	\$3,652
73x73	Solo	SS90D4166L4166R	\$4,534
73x73	Solo+	SS90D5266L5266R	\$4,677
73x73	Summit	SS90D6666L6666R	\$5,375

8X8' L-Shaped Page 31

Footprint	Model Name	Part Number	Price
96x96	Social+	SS90D2990L2990R	\$4,194
96x96	Solo	SS90D4190L4190R	\$4,953
96x96	Solo+	SS90D5290L5290R	\$5,112
96x96	Summit	SS90D6690L6690R	\$6,167



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
Options for upper surfaces
can be inserted into any
of the panel locations as
indicated below.


WWBM
White board laminate one
side and laminate on other

WBF
White board one side and
fabric on other the other

WBB
White board on both sides

STB
Fabric covered tackboard
on both sides

Please be sure to specify
the Alpha location and
fabric name for each of
the panels when ordering.



For stations with only two
upper panels left side is
"A" and right side is "F"

To view fabric panel
choices go to:
www.cfstinson.com
and click on "Panel."

Upper Panel Options

Solo

Part Number	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
SSSWBM	\$56	\$33	\$38
SSSWBF	\$122	\$87	\$100
SSSWBB	\$85	\$52	\$60
SSSSTB	\$192	\$137	\$158

Solo+

Part Number	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
SSS+WWBM	\$148	\$62	\$71
SSS+WBF	\$250	\$140	\$161
SSS+WBB	\$205	\$101	\$116
SSS+STB	\$352	\$218	\$250

Summit

Part Number	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
SSS++WWBM	\$148	\$62	\$71
SSS++WBF	\$250	\$140	\$161
SSS++WBB	\$205	\$101	\$116
SSS++STB	\$352	\$218	\$250

Products & Pricing

120 DEGREE WORKSTATIONS



Standard Workstation Sizes and Configurations

Space-saver L-Shaped Page 33

Footprint	Model Name	Part Number	Price
54x54	Social+	SS120D2948L2948R	\$2,920
54x54	Solo	SS120D4148L4148R	\$3,651
54x54	Solo+	SS120D5248L5248R	\$3,760
54x54	Summit	SS120D6648L6648R	\$4,975

6X6' L-Shaped Page 30

Footprint	Model Name	Part Number	Price
73x73	Social+	SS120D2966L2966R	\$3,652
73x73	Solo	SS120D4166L4166R	\$4,534
73x73	Solo+	SS120D5266L5266R	\$4,677
73x73	Summit	SS120D6666L6666R	\$5,375

8X8' L-Shaped Page 31

Footprint	Model Name	Part Number	Price
96x96	Social+	SS120D2990L2990R	\$4,194
96x96	Solo	SS120D4190L4190R	\$4,953
96x96	Solo+	SS120D5290L5290R	\$5,112
96x96	Summit	SS120D6690L6690R	\$6,167



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
Options for upper surfaces
can be inserted into any
of the panel locations as
indicated below.

WWBM
White board laminate one
side and laminate on other

WBF
White board one side and
fabric on other the other

WBB
White board on both sides

STB
Fabric covered tackboard
on both sides

Please be sure to specify
the Alpha location and
fabric name for each of
the panels when ordering.



For stations with only two
upper panels left side is
"A" and right side is "F"

To view fabric panel
choices go to:
www.cfstinson.com
and click on "Panel."

Upper Panel Options

Solo

Part Number	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
SSSWBM	\$56	\$33	\$38
SSSWBF	\$122	\$87	\$100
SSSWBB	\$85	\$52	\$60
SSSSTB	\$192	\$137	\$158

Solo+

Part Number	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
SSS+WWBM	\$148	\$62	\$71
SSS+WBF	\$250	\$140	\$161
SSS+WBB	\$205	\$101	\$116
SSS+STB	\$352	\$218	\$250

Summit

Part Number	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
SSS++WWBM	\$148	\$62	\$71
SSS++WBF	\$250	\$140	\$161
SSS++WBB	\$205	\$101	\$116
SSS++STB	\$352	\$218	\$250

Products & Pricing

180 DEGREE WORKSTATIONS



Standard Workstation Sizes and Configurations

Space-saver Straight Surface Page 35

Footprint	Model Name	Part Number	Price
55x40	Social+	SS90D2948L2934R	\$2,867
55x40	Solo	SS90D4148L4134R	\$3,444
55x40	Solo+	SS90D5248L5234R	\$3,552

Footprint	Model Name	Part Number	Price
40x55	Social+	SS90D2934L2948R	\$2,867
40x55	Solo	SS90D4134L4148R	\$3,444
40x55	Solo+	SS90D5234L5248R	\$3,552

6' Straight Surface Page 32

Footprint	Model Name	Part Number	Price
73x40	Social+	SS90D2966L2934R	\$2,950
73x40	Solo	SS90D4166L4134R	\$3,544
73x40	Solo+	SS90D5266L5234R	\$3,655
73x40	Summit	SS90D6666L6634R	\$5,918

Footprint	Model Name	Part Number	Price
40x73	Social+	SS90D2934L2966R	\$2,950
40x73	Solo	SS90D4134L4166R	\$3,544
40x73	Solo+	SS90D5234L5266R	\$3,655
40x73	Summit	SS90D6634L6666R	\$5,918



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
Options for upper surfaces
can be inserted into any
of the panel locations as
indicated below.


WWBM
White board laminate one
side and laminate on other

WBF
White board one side and
fabric on other the other

WBB
White board on both sides

STB
Fabric covered tackboard
on both sides

Please be sure to specify
the Alpha location and
fabric name for each of
the panels when ordering.



For stations with only two
upper panels left side is
"A" and right side is "F"

To view fabric panel
choices go to:
www.cfstinson.com
and click on "Panel."

Upper Panel Options

Solo	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
Part Number			
SSSWWBM	\$56	\$33	\$38
SSSWBF	\$122	\$87	\$100
SSSWBB	\$85	\$52	\$60
SSSSTB	\$192	\$137	\$158

Solo+	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
Part Number			
SSS+WWBM	\$148	\$62	\$71
SSS+WBF	\$250	\$140	\$161
SSS+WBB	\$205	\$101	\$116
SSS+STB	\$352	\$218	\$250

Summit	Space-saver L-Shaped	6X6' L-Shaped	8X8' L-Shaped
Part Number			
SSS++WWBM	\$148	\$62	\$71
SSS++WBF	\$250	\$140	\$161
SSS++WBB	\$205	\$101	\$116
SSS++STB	\$352	\$218	\$250

Fast and Flexible workspace in seconds.

Products & Pricing

SPECIALTY WORKSTATIONS



Access Point

Footprint

34x34
34x34

Part Number

SS4134L2934R no Transaction Top
SS4134LTR2934R with Transaction Top

Price

\$2,610
\$2,964



REFERENCE
See our Surfaces Section
on Pages 35-36


Products & Pricing

RENDEZVOUS MOBILE MEETING ROOMS



In Laminate

ORGANIZATIONS ARE LOOKING TO DESIGN SPACE THAT GIVES THEIR EMPLOYEES COMFORTABLE INFORMAL SPACE TO MEET.



In Fabric

Shown with Optional Privacy Panels

Imagine the possibilities a completely mobile meeting space that can sit up to six people in a "booth" like setting in under a minute. Designed by the Swiftspace Design Team the Rendezvous mobile meeting booth does just that!

Designed using the patented technology of the popular Swiftspace workstation the Rendezvous has the same major benefits that our customers love. Think about a mobile self contained wall and seating system that can be setup in seconds, by anyone, with no tools! No longer required it can be folded back up in seconds and stored out of the way. Sound like a Facility Planner's dream?

Specifications

The overall footprint of the booth is:

- Wall height - 60" (option to increase to 72" with Acrylic Privacy Panels)
- Footprint when open - 81" x 79"
- Footprint when closed - 23" x 74"
- Seat height - 19"
- Seat depth - 20"
- Seat width per side - 75.5"
- Seat weight rating per side - 1,000 lbs.
- Door opening - 41.5"

Products & Pricing

RENDEZVOUS MOBILE MEETING ROOMS



Specifications

Standard Construction is:

- Frame is constructed of 40mm lightweight grey aluminum.
- Outside upper and lower panels are made from 4mm melamine available in any of our 15 standard colours.
- Inside upper and lower panels are made from 4mm available melamine in any of our 15 standard colours.
- The casters are 63.5 mm in diameter with grey non-marking rubber wheels that swivel and lock.
- Seat and back are made with a ½" plywood core covered in 3 inch foam.
- Seat and back upholstery can be ordered from any of our standard seating upholstery available from CF Stinson. To view go to www.cfstinson.com and select "Seating." The seat and back can be ordered with different upholstery. Fabric can be ordered from other suppliers however an upcharge will be applied for cost in excess of \$25 per yard.

Options:

- Outside panel walls can also be ordered in any of our standard panel fabrics available from CF Stinson. Fabric can be ordered from other suppliers however an upcharge will be applied for cost in excess of \$25 per yard. To view fabric panel choices go to: www.cfstinson.com and click on "Panel."
- Inside panel upper walls can be ordered with a whiteboard, semi-transparent polycarbonate, or any of our standard panel fabrics available from CF Stinson. Fabric can be ordered from other suppliers however an upcharge will be applied for cost in excess of \$25 per yard.

Accessories. To enhance user experience the Rendezvous can be ordered with:

- Powerbar with 6 outlets and 15 ft power cord
- Personal lighting
- Storage cover
- Panel mount for TV/Monitor screen

Part Number	Description	Price
SSMB8179LAM	with Laminate Outside Uppers	\$11,750
SSMB8179FAB	with Fabric Outside Uppers	\$12,750

Options	Price
Upcharge for 12" Privacy Panel in Satin Ice Acrylic	\$1,080
Powerbar with 6 outlets and 15 ft power cord	\$124
Personal lighting	\$474
Storage cover	\$275 (takes two covers)
Panel mount for TV/Monitor screen	\$298



REFERENCE
See our Surfaces Section
on Pages 35-36



Recommended table size and shape for booth is 30'x72."

Peninsula with a **SS7726** T-Flip-Top Base.

SS3072PEN

Products & Pricing

MOBILE TABLES



T-Flip-Top Base with Casters and Hand Release Specifications

Functional, high quality and economical, this base is perfect for many applications. It comes standard with casters and a handle release that mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table up. Available in a number of standard powder coat colours.

The table can be made adjustable with the addition of an adjustable spring clip.

Allows 9" of height adjustment from 24.75" to 33.75", in 1" increments. To order, add prefix **AH** to part #.

List Price upcharge to add height adjustability to the above bases \$200

Part Number	Column Diameter	Base Diameter	Recommended Top Depth	Base Spread	Weight
SS7716	2"	2"	16-17"	16"	10 lbs.
SS7718	2"	2"	18-22"	18"	11 lbs.
SS7722	2"	2"	23-30"	22"	11 lbs.
SS7726	2"	2"	30-36"	26"	12 lbs.

List Price \$795

THE PROCESS TO CREATE YOUR OWN SWIFTSPACE MOBILE TABLE IS AS SIMPLE AS SETTING UP OUR STATION. JUST COMBINE A BASE AND TOP AND YOU ARE GOOD TO GO!

Adjustable Height Hand Crank

Adjustability is a necessity in many environments. When there are multiple users of tables and desks, each person may need to position the table surface to an appropriate height to suit his or her own needs. Swiftspace offers two height ranges that easily adjust to provide a user with individual comfort and versatility. Our bases are adjustable in length from 45" to 68" to accommodate tables that are 45" to 72" long and tops that are 24" to 36" deep. The bases come with locking 2" casters. The table comes in two finish options Black or Silver. Durability and fine craftsmanship are standard.

Specifications

- Adjustable frame size to accommodate multiple table lengths
- Hand crank location on front of table
- Handle retracts under table
- Maximum recommended lift weight 210 lbs.

Part Number	Recommended Top Size	Base Spread	Height Range	Weight
SS1000-1001	24" x 45" to 24" x 72"	23.5"	24" to 33.5"	52 lbs.
	30" x 45" to 30" x 72"	23.5"	24" to 33.5"	52 lbs.
	36" x 45" to 36" x 72"	23.5"	24" to 33.5"	52 lbs.
SS1000-1001	24" x 45" to 24" x 72"	23.5"	28.5" to 41.75"	55 lbs.
	30" x 45" to 30" x 72"	23.5"	28.5" to 41.75"	55 lbs.
	36" x 45" to 36" x 72"	23.5"	28.5" to 41.75"	55 lbs.

List Price \$950




Products & Pricing

MOBILE TABLE TOPS



Table Top Shapes

Swiftspace tops are available as standard in three widths, three lengths and three shapes. The tops can be ordered either in high pressure laminate with a 2mm PVC edge (L) powder coated high density fibreboard (P) or with a whiteboard surface (W).



REFERENCE
See our Surfaces Section
on Pages 35-36

Table Pricelist

Part Number	Surface	Width	Length	Shape	List Price
SS2445SQ	L or P or W	24"	48"	Rectangular	\$435
SS2460SQ	L or P or W	24"	60"	Rectangular	\$476
SS2472SQ	L or P or W	24"	72"	Rectangular	\$517
SS3045SQ	L or P or W	30"	48"	Rectangular	\$476
SS3060SQ	L or P or W	30"	60"	Rectangular	\$527
SS3072SQ	L or P or W	30"	72"	Rectangular	\$578
SS3645SQ	L or P or W	36"	48"	Rectangular	\$517
SS3660SQ	L or P or W	36"	60"	Rectangular	\$578
SS3672SQ	L or P or W	36"	72"	Rectangular	\$639
<hr/>					
SS2445OV	L or P or W	24"	48"	Oval	\$442
SS2460OV	L or P or W	24"	60"	Oval	\$483
SS2472OV	L or P or W	24"	72"	Oval	\$527
SS3045OV	L or P or W	30"	48"	Oval	\$486
SS3060OV	L or P or W	30"	60"	Oval	\$544
SS3072OV	L or P or W	30"	72"	Oval	\$598
SS3645OV	L or P or W	36"	48"	Oval	\$530
SS3660OV	L or P or W	36"	60"	Oval	\$598
SS3672OV	L or P or W	36"	72"	Oval	\$663
<hr/>					
SS2445PEN	L or P or W	24"	48"	Peninsula	\$442
SS2460PEN	L or P or W	24"	60"	Peninsula	\$483
SS2472PEN	L or P or W	24"	72"	Peninsula	\$527
SS3045PEN	L or P or W	30"	48"	Peninsula	\$486
SS3060PEN	L or P or W	30"	60"	Peninsula	\$544
SS3072PEN	L or P or W	30"	72"	Peninsula	\$598
SS3645PEN	L or P or W	36"	48"	Peninsula	\$530
SS3660PEN	L or P or W	36"	60"	Peninsula	\$598
SS3672PEN	L or P or W	36"	72"	Peninsula	\$663

Products & Pricing

BOOKCASES & PEDESTALS



SSBFC Box/File with Cushion

SSBBF Box/Box/File

SSBFTowerR Right Facing

SSFFTowerDR Facing

REFERENCE Models are available in a number of Powdercoated colours. Platinum is the colour that best matches the station frame colour.

Specifications

Part Number	Width	Height	Weight	List Price
SSFF	15"	27.5"	80 lbs.	\$612
SSBBF	15"	27.5"	85 lbs.	\$649
SSBFC	15"	24"	70 lbs.	\$781
SSBFTowerR	15"	51"	120 lbs.	\$1,180
SSBFTowerL	15"	51"	120 lbs.	\$1,180
SSFFTowerDR	15"	70.5"	125 lbs.	\$1,270
(NOTE dimensions of top sections 15" W x 40" H includes coat rod)				
SSFFTowerDL	15"	70.5"	125 lbs.	\$1,270
(NOTE dimensions of top sections 15" W x 40" H includes coat rod)				
SSHFB	-	-	-	\$11/pair

All our cushion top peds come standard with a solid (non-patterned) black polyester fabric or any of C.F. Stinson's New Hempstead range of fabrics without an additional upcharge. To view go to www.cfstinson.com and click on "Seating." For customer's own material (COM) fabric selection, please contact Customer Service to arrange for fabric to be directly shipped to our cushion top supplier.

Products & Pricing

COMMUNICATION & PRIVACY PANELS

Shown in Kesington Maple with a whiteboard in the Right Panel



REFERENCE
 See our Surfaces Section
 on Pages 35-36



Shown with a single station



Shown in use with two stations

Specifications

The Mobile Communication/Privacy Panel can be ordered in any of the standard laminates or with a whiteboard in either the left or right panels.

Part Number	Height	Length	List Price
SSMPCB5260	52"	60"	\$2,040


Swiftspace Specifications Guide

Products & Pricing **Communications & Privacy Panels 10**

Products & Pricing

MOBILE WALL SYSTEMS

USE THE SWIFTSACE™ MOBILE WALL SYSTEM TO CREATE PRIVACY IN SECONDS WITH NO TOOLS. ALL YOU NEED TO DO IS GIVE US THE SIZE OF THE AREA YOU REQUIRE. WE WILL DO THE REST.



REFERENCE
See our Surfaces Section
on Page 35

The wall system ships on casters in its folded form just like our stations.
Our standard wall heights are 60" and 72" but additional privacy can be added used our panel extension product.

Mobile Wall Pricelist

Part Number	Width	Height	Surface	Fabric Required YDS.	List Price
SS1860LAM	18"	60"	Laminate	-	\$872
SS1860FAB	18"	60"	Fabric	1.20	\$1,152
SS1872LAM	18"	72"	Laminate	-	\$972
SS1872FAB	18"	72"	Fabric	1.50	\$1,175
SS2460LAM	24"	60"	Laminate	-	\$892
SS2460FAB	24"	60"	Fabric	1.40	\$1,252
SS2472LAM	24"	72"	Laminate	-	\$972
SS2472FAB	24"	72"	Fabric	1.70	\$1,277
SS3060LAM	30"	60"	Laminate	-	\$1,004
SS3060FAB	30"	60"	Fabric	1.80	\$1,432
SS3072LAM	30"	72"	Laminate	-	\$1,064
SS3072FAB	30"	72"	Fabric	2.25	\$1,460
SS3660LAM	36"	60"	Laminate	-	\$1,020
SS3660FAB	36"	60"	Fabric	3.50	\$1,620
SS3672LAM	36"	72"	Laminate	-	\$1,088
SS3672FAB	36"	72"	Fabric	4.25	\$1,652
SS4260LAM	42"	60"	Laminate	-	\$1,044
SS4260FAB	42"	60"	Fabric	3.50	\$1,644
SS4272LAM	42"	72"	Laminate	-	\$1,108
SS4272FAB	42"	72"	Fabric	4.25	\$1,677
SS4860LAM	48"	60"	Laminate	-	\$1,064
SS4860FAB	48"	60"	Fabric	3.50	\$1,664
SS4872LAM	48"	72"	Laminate	-	\$1,120
SS4872FAB	48"	72"	Fabric	4.25	\$1,697

Products & Pricing

ENHANCEMENTS

Overheads



Swiftspace overheads can be added to any of the 66" high walls. The Overheads are made from metal and can be ordered in the same colours as the Mobile Pedestals and Storage Towers. *REFERENCE The Overheads are not attached to the stations during initial shipping.*

Part Number	Width	Depth	Height	List Price
SS0VH	30"	13.5"	15"	\$789

Keyboard Arms & Trays



Any of our standard, single surface, or space-saver models can be shipped with a keyboard arm and tray attached. The arm is unique in that it has been designed to remain on the station even in its closed position.

Part Number	Description	List Price
SS5733SW	Economy Arm	\$252
SS8404SW	Ovation Sit-stand Arm	\$375
SS6460SW	Keyboard Tray with Mouse	\$298



Panel Extenders



Bowed



Rectangular

The Panel Extenders are made from 3/16 inch Satin Ice Acrylic. The panel holders can be installed at the plant or in the field. The panels themselves can be easily removed by loosening the thumbwheels in the holders. *REFERENCE The panels come in 11 and 23 inch heights and in lengths to fit our 48 inch, 68 inch, and 90 inch walls*

Part Number	Shape	Height	Width	List Price
SSPEX1248	B or R	11"	47"	\$233
SSPEX1268	B or R	11"	60"	\$360
SSPEX1290	B or R	11"	90"	\$450
SSPEX2448	B or R	23"	47"	\$379
SSPEX2468	B or R	23"	60"	\$623
SSPEX2490	B or R	23"	90"	\$675

Products & Pricing

ENHANCEMENTS

Flip- Over Top



Available with Straight Edge (FS) or Bow Front Edge (FB)

The Flip-over top option can be ordered on both left and right worksurfaces or in combination with a regular or space-saver Social+, Solo, or Solo+ wall height. The Flip-over top can be ordered with a straight or bow front edge which works well for reception use.

When ordering the Flip-over Top add "FS or FB" after "L" and /or "R" using the regular or space-saver Swiftspace Model number. There is no change in List Price.

For example Model Number for the Station shown above which has a Flip-over straight worksurface on left and regular Solo on right would be: **SS2968LFS4168R**

Transaction Top



The Transaction top option can be ordered on either left and right worksurfaces on both Solo regular or space-saver models

Transaction Top Length either 32" or 64" Transaction Top Depth 16"
(Transaction Tops length and depth can be customized please call Customer Service)
Add on Unit Weight for Transaction Top - 25 lbs. for 32" or 50 lbs. for 64"

When ordering the Transaction Top add "TR" after "L" and /or "R" using the regular or space-saver Swiftspace Model number add \$390 List for 32" or \$750 List for 64".

For example Model Number for the Solo Station shown above with a Transaction Top on the left side would be: **SS5266L4166RTR**

Fold Down



The Fold Down upper panel option can be ordered on either left and right worksurfaces on both Solo regular, space savers and straight surface models in all lengths.

When ordering the Fold Down option add "FD" after "L" and /or "R" using standard Swiftspace Model number and add \$456 per side to the List Price.

Model Number for the Solo Station shown with a Fold Down upper panel on the left side would be: **SS4168LFD4148R** List Price \$4,990.



Products & Pricing

GENERAL SPECIFICATIONS

Surfaces

Worksurface tops and panels are available in 15 standard finishes.

Standard Construction

- Frame is constructed of 40mm lightweight grey aluminum
- Upper panels are made of 4mm Twin Wall Clear Polycarbonate, see pricing section for conversion of any upper panel to a whiteboard or fabric covered tackboard.
- Lower panels are made from 4mm melamine panels.
- Tops can be specified as 25mm thick high pressure laminate with a particle board core or 25mm thick powder-coated MDF.
- Casters are 63.5mm in diameter with grey rubber wheels that swivel and lock

Customization

Your Swiftspace station can be configured just as easily as it is to setup.

If you can't find a length and height in our sizing chart on pages 16-20 you can choose to have the station length and height customized to fit your sizing needs. For special orders please contact Customer Service for pricing and lead-times.

Worksurface top and melamine panel colours can be specified from other than Wilsonart, who is our preferred supplier. For special colours please contact Customer Service as lead-times and pricing may be affected.

With different wall height and length combinations your Swiftspace station can be ordered in a number of different combinations. To help make specification easy we have created an ordering chart based on the Model Number Key.

Products & Pricing

MODEL NUMBER KEY

Left Side			Right Side		Worksurface		Panel
Prefix	Height (inches)	Length (inches)	Height (inches)	Length (inches)	(Colour Code)	(HP or PC)	(Colour Code)
SS	29	66L	29	66R	WSC#	WC Type	LPC#
1	2	3 4	5	6 7	8	9	10

Instructions on Using the Model Number Key

Column 1 in key - the first two digits is always "SS"

Column 2 in key - the next two digits indicate the height of the wall in inches of the left side

Column 3 in key - the next two digits indicate the length of the wall in inches of the left side

Column 4 in key - is always "L" for left

Column 5 in key - the next two digits indicate the height of the wall in inches of the right side

Column 6 in key - the next two digits indicate the length of the wall in inches of the right side

Column 7 in key - is always "R" for right

Column 8 in key - the next four digits indicate the worksurface colour code from pages 35-36

Column 9 in key - the next two digits indicate the worksurface material type of either "HP" for High Pressure or "PC" for Powder-coated Multi Density Fibreboard

Column 10 in key - the next four digits indicate the lower lower panel colour from page 35



REFERENCE
See our Surfaces Section
on Pages 35-36

All options, enhancements and accessories should be entered as separate line items under each model number.

Products & Pricing

MODEL SELECTION CHART

Use the following charts to find pricing and sizing for various non-standard Swiftspace™ station configurations.

Prefix	Left Side		Right Side		Wall Angle (degrees)	Footprint (inches)	Weight (lbs)	List Price (\$)
	Height (inches)	Length (inches)	Height (inches)	Length (inches)				
SS	29	48	29	48	90	55 x 55	125	2920
SS	29	66	29	48	90	73 x 55	135	3638
SS	29	48	29	66	90	55 x 73	135	3638
SS	29	66	29	66	90	73 x 73	145	3652
SS	29	90	29	90	90	96 x 96	200	4194
SS	29	48	29	90	90	55 x 96	135	3750
SS	29	90	29	48	90	96 x 55	135	3750
SS	29	90	29	66	90	96 x 73	180	3967
SS	29	66	29	90	90	73 x 96	180	3967
SS	29	48	29	48	120	49 x 92	125	2920
SS	29	66	29	66	120	55 x 133	165	3652
SS	29	48	29	34	90	55 x 40	115	2867
SS	29	66	29	34	90	73 x 40	135	2950
SS	29	90	29	34	90	96 x 40	175	3150
SS	29	34	29	48	90	40 x 55	115	2867
SS	29	34	29	66	90	40 x 73	135	2950
SS	29	34	29	90	90	40 x 90	175	3150
SS	41	48	41	48	90	55 x 55	130	3651
SS	41	66	41	48	90	73 x 55	205	4094
SS	41	48	41	66	90	55 x 73	150	4094
SS	41	66	41	66	90	73 x 73	175	4534
SS	41	90	41	90	90	96 x 96	235	4953
SS	41	48	41	90	90	55 x 96	180	4750
SS	41	90	41	48	90	96 x 55	180	4750
SS	41	90	41	66	90	96 x 73	205	4661
SS	41	66	41	90	90	73 x 96	205	4661
SS	41	48	41	48	120	49 x 92	145	3651
SS	41	66	41	66	120	55 x 133	175	4534
SS	41	48	41	34	90	55 x 40	125	3444
SS	41	66	41	34	90	73 x 40	147	3544
SS	41	90	41	34	90	96 x 40	185	3650
SS	41	34	41	48	90	40 x 55	125	3444
SS	41	34	41	66	90	40 x 73	147	3544
SS	41	34	41	90	90	40 x 96	185	3650
SS	52	48	52	48	90	55 x 55	155	3760
SS	52	66	52	48	90	73 x 55	170	4824
SS	52	48	52	66	90	55 x 73	170	4824
SS	52	66	52	66	90	73 x 73	205	4677
SS	52	90	52	90	90	96 x 96	250	5112
SS	52	48	52	90	90	55 x 96	145	4824
SS	52	90	52	48	90	96 x 55	145	4824
SS	52	90	52	66	90	96 x 73	225	4842
SS	52	66	52	90	90	73 x 96	225	4842
SS	52	48	52	48	120	49 x 92	155	3760
SS	52	66	52	66	120	55 x 133	205	4677

Products & Pricing

MODEL SELECTION CHART

Prefix	Left Side		Right Side		Wall Angle (degrees)	Footprint (inches)	Weight (lbs)	List Price (\$)
	Height (inches)	Length (inches)	Height (inches)	Length (inches)				
SS	52	48	52	34	90	55 x 40	130	3552
SS	52	66	52	34	90	73 x 40	155	3655
SS	52	90	52	34	90	96 x 40	185	3750
SS	52	34	52	48	90	40 x 55	130	3552
SS	52	34	52	66	90	40 x 73	155	3655
SS	52	34	52	90	90	40 x 96	185	3750
SS	66	48	66	48	90	55 x 55	165	4975
SS	66	66	66	48	90	73 x 55	195	5048
SS	66	48	66	66	90	55 x 73	195	5048
SS	66	66	66	66	90	73 x 73	235	5375
SS	66	90	66	90	90	96 x 96	290	6167
SS	66	48	66	90	90	55 x 96	230	5615
SS	66	90	66	48	90	96 x 55	230	5615
SS	66	90	66	66	90	96 x 73	255	5715
SS	66	66	66	90	90	73 x 96	255	5715
SS	66	48	66	48	120	49 x 92	175	4975
SS	66	66	66	66	120	55 x 133	235	5375
SS	66	48	66	34	90	55 x 40	135	5718
SS	66	66	66	34	90	73 x 40	170	5818
SS	66	90	66	34	90	96 x 40	200	5918
SS	66	34	66	48	90	40 x 55	135	5718
SS	66	34	66	66	90	40 x 73	170	5818
SS	66	34	66	90	90	40 x 96	200	5918
SS	41	48	29	48	90	55 x 55	125	3601
SS	41	66	29	48	90	73 x 55	135	3850
SS	41	48	29	66	90	55 x 73	135	3850
SS	41	66	29	66	90	73 x 73	145	4093
SS	41	90	29	90	90	96 x 96	200	4901
SS	41	48	29	90	90	55 x 96	135	4790
SS	41	90	29	48	90	96 x 55	135	4790
SS	41	90	29	66	90	96 x 73	180	4850
SS	41	66	29	90	90	73 x 96	180	4850
SS	41	48	29	48	120	49 x 92	125	3601
SS	41	66	29	66	120	55 x 133	165	4093
SS	41	48	29	34	90	55 x 40	135	3375
SS	41	66	29	34	90	73 x 40	135	3495
SS	41	90	29	34	90	96 x 40	175	3575
SS	41	34	29	48	90	40 x 55	135	3375
SS	41	34	29	66	90	40 x 73	135	3495
SS	41	34	29	90	90	40 x 96	175	3575
SS	29	48	41	48	90	55 x 55	125	3601
SS	29	66	41	48	90	73 x 55	135	3850
SS	29	48	41	66	90	55 x 73	135	3850
SS	29	66	41	66	90	73 x 73	145	4093
SS	29	90	41	90	90	96 x 96	200	4901

Products & Pricing

MODEL SELECTION CHART

Prefix	Left Side		Right Side		Wall Angle (degrees)	Footprint (inches)	Weight (lbs)	List Price (\$)
	Height (inches)	Length (inches)	Height (inches)	Length (inches)				
SS	29	48	41	90	90	55 x 96	135	4790
SS	29	90	41	48	90	96 x 55	135	4790
SS	29	90	41	66	90	96 x 73	180	4850
SS	29	66	41	90	90	73 x 96	180	4850
SS	29	48	41	48	120	49 x 92	125	3601
SS	29	66	41	66	120	55 x 133	165	4093
SS	29	48	41	34	90	55 x 40	135	3375
SS	29	66	41	34	90	73 x 40	135	3495
SS	29	90	41	34	90	96 x 40	175	3575
SS	29	34	41	48	90	40 x 55	135	3375
SS	29	34	41	66	90	40 x 73	135	3495
SS	29	34	41	90	90	40 x 96	175	3575
SS	52	48	29	48	90	55 x 55	125	3660
SS	52	66	29	48	90	73 x 55	135	4724
SS	52	48	29	66	90	55 x 73	135	4724
SS	52	66	29	66	90	73 x 73	145	4750
SS	52	90	29	90	90	96 x 96	200	4975
SS	52	48	29	90	90	55 x 96	135	4775
SS	52	90	29	48	90	96 x 55	135	4775
SS	52	90	29	66	90	96 x 73	180	4825
SS	52	66	29	90	90	73 x 96	180	4825
SS	52	48	29	48	120	49 x 92	155	3660
SS	52	66	29	66	120	55 x 133	165	4165
SS	52	48	29	34	90	55 x 40	135	3452
SS	52	66	29	34	90	73 x 40	135	3555
SS	52	90	29	34	90	96 x 40	175	3650
SS	52	34	29	48	90	40 x 55	135	3452
SS	52	34	29	66	90	40 x 73	135	3555
SS	52	34	29	90	90	40 x 96	175	3650
SS	29	48	52	48	90	55 x 55	125	3660
SS	29	66	52	48	90	73 x 55	135	4724
SS	29	48	52	66	90	55 x 73	135	4724
SS	29	66	52	66	90	73 x 73	145	4750
SS	29	90	52	90	90	96 x 96	200	4975
SS	29	48	52	90	90	55 x 96	135	4775
SS	29	90	52	48	90	96 x 55	135	4775
SS	29	90	52	66	90	96 x 73	180	4825
SS	29	66	52	90	90	73 x 96	180	4825
SS	29	48	52	48	120	49 x 92	145	3660
SS	29	66	52	66	120	55 x 133	165	4165
SS	29	48	52	34	90	55 x 40	135	3452
SS	29	66	52	34	90	73 x 40	135	3555
SS	29	90	52	34	90	96 x 40	175	3650
SS	29	34	52	48	90	40 x 55	135	3452
SS	29	34	52	66	90	40 x 73	135	3555

Products & Pricing

MODEL SELECTION CHART

Prefix	Left Side		Right Side		Wall Angle (degrees)	Footprint (inches)	Weight (lbs)	List Price (\$)
	Height (inches)	Length (inches)	Height (inches)	Length (inches)				
SS	52	66	41	68	120	55 x 133	175	4627
SS	52	48	41	34	90	55 x 40	115	3502
SS	52	66	41	34	90	73 x 40	147	3601
SS	52	90	41	34	90	96 x 40	185	3700
SS	52	34	41	48	90	40 x 55	115	3502
SS	52	34	41	66	90	40 x 73	147	3601
SS	52	34	41	90	90	40 x 96	185	3700
SS	41	48	52	48	90	55 x 55	125	3710
SS	41	66	52	48	90	73 x 55	205	3725
SS	41	48	52	66	90	55 x 73	150	3725
SS	41	66	52	66	90	73 x 73	175	4627
SS	41	90	52	90	90	96 x 96	235	5075
SS	41	48	52	90	90	55 x 96	180	4724
SS	41	90	52	48	90	96 x 55	180	4724
SS	41	90	52	66	90	96 x 73	205	4742
SS	41	66	52	90	90	73 x 96	205	4742
SS	41	48	52	48	120	49 x 92	125	3710
SS	41	66	52	66	120	55 x 133	175	4627
SS	41	48	52	34	90	55 x 40	115	3502
SS	41	66	52	34	90	73 x 40	147	3601
SS	41	90	52	34	90	96 x 40	185	3700
SS	41	34	52	48	90	40 x 55	115	3502
SS	41	34	52	66	90	40 x 73	147	3601
SS	41	34	52	90	90	40 x 96	185	3700
SS	66	48	41	48	90	55 x 55	125	4875
SS	66	66	41	48	90	73 x 55	205	4948
SS	66	48	41	66	90	55 x 73	150	4948
SS	66	66	41	66	90	73 x 73	175	5275
SS	66	90	41	90	90	96 x 96	235	6067
SS	66	48	41	90	90	55 x 96	180	5515
SS	66	90	41	48	90	96 x 55	180	5515
SS	66	90	41	66	90	96 x 73	205	5615
SS	66	66	41	90	90	73 x 96	205	5615
SS	66	48	41	48	120	49 x 92	125	4875
SS	66	66	41	66	120	55 x 133	175	4948
SS	66	48	41	34	90	55 x 40	115	5618
SS	66	66	41	34	90	73 x 40	147	5718
SS	66	90	41	34	90	96 x 40	185	5818
SS	66	34	41	48	90	40 x 55	115	5618
SS	66	34	41	66	90	40 x 73	147	5718
SS	66	34	41	90	90	40 x 96	185	5818
SS	41	48	66	48	90	55 x 55	125	4875
SS	41	66	66	48	90	73 x 55	205	5948
SS	41	48	66	66	90	55 x 73	150	5948
SS	41	66	66	66	90	73 x 73	175	5275

Products & Pricing

MODEL SELECTION CHART

Prefix	Left Side		Right Side		Wall Angle (degrees)	Footprint (inches)	Weight (lbs)	List Price (\$)
	Height (inches)	Length (inches)	Height (inches)	Length (inches)				
SS	41	90	66	90	90	96 x 96	235	6067
SS	41	48	66	90	90	55 x 96	180	5515
SS	41	90	66	48	90	96 x 55	180	5515
SS	41	90	66	66	90	96 x 73	205	5615
SS	41	66	66	90	90	73 x 96	205	5615
SS	41	48	66	48	120	49 x 92	125	4875
SS	41	66	66	66	120	55 x 133	175	4948
SS	41	48	66	34	90	55 x 40	115	5618
SS	41	66	66	34	90	73 x 40	147	5718
SS	41	90	66	34	90	96 x 40	185	5818
SS	41	34	66	48	90	40 x 55	115	5618
SS	41	34	66	66	90	40 x 73	147	5718
SS	41	34	66	90	90	40 x 96	185	5818
SS	52	90	66	48	90	96 x 55	180	5565
SS	52	90	66	66	90	96 x 73	205	5665
SS	52	66	66	90	90	73 x 96	205	5665
SS	52	48	66	48	120	49 x 92	125	4925
SS	52	66	66	66	120	55 x 133	175	5325
SS	52	48	66	34	90	55 x 40	115	5668
SS	52	66	66	34	90	73 x 40	147	5768
SS	52	90	66	34	90	96 x 40	185	5868
SS	52	34	66	48	90	40 x 55	115	5668
SS	52	34	66	66	90	40 x 73	147	5768
SS	52	34	66	90	90	40 x 96	185	5868
SS	66	90	52	48	90	96 x 55	180	5565
SS	66	90	52	66	90	96 x 73	205	5665
SS	66	66	52	90	90	73 x 96	205	5665
SS	66	48	52	48	120	49 x 92	125	4925
SS	66	66	52	66	120	55 x 133	175	5325
SS	66	48	52	34	90	55 x 40	115	5668
SS	66	66	52	34	90	73 x 40	147	5768
SS	66	90	52	34	90	96 x 40	185	5868
SS	66	34	52	48	90	40 x 55	115	5668
SS	66	34	52	66	90	40 x 73	147	5768
SS	66	34	52	90	90	40 x 96	185	5868

Applications

HANDLING OF ELECTRICAL & DATA

ONE OF THE QUESTIONS WE ARE OFTEN ASKED IS:
 “WHAT IS THE BEST WAY TO HANDLE ELECTRICAL AND
 DATA REQUIREMENTS IN A SWIFTSACE™ STATION?”

To best answer this question one needs to break it down into two components; getting the power/data to the station, and how it is handled in the station.

Getting Electrical/Data to the Station

Electrical and Data needs to get to the station in the same manner as other typical desking systems/cubicles using either an infloor system, powerpoles, or by coming in through a wall panel.

However, if you want to take full advantage of the flexibility and mobility of the Swiftspace you need to be able to reconfigure a space in minutes. The best way to do is to use an in or above floor power/data system to create a complete grid in the room. Once the grid is in place it the entire space becomes a “plug and play” scenario. We recommend taking a look at Connectrac at www.connectrac.com as an option. Connectrac is installed above the floor, and provides an electrical and data distribution system that houses an 8 wire 4 circuit system with a capacity of up to 18 CAT-6 cables. Height at the centre is only ¾”. Tapered MDF panels under the carpet extend to create a gentle slope, eliminating them as a safety threat and making them ADA compliant.

In the Swiftspace Station


Data: If a hardwired connection is required for data (instead of wireless) then a data cable can run from wherever the data enters the space and along the underside of the worksurface to the centre of the workarea. Each station has cable ties on the underside of all surfaces to hold the cable in place and out of visual view.

Electrical: In order to avoid some of the legislative constraints created by hardwired power supplies the distribution of power in the station is handled through the use of a separate add on surge protected powerbar. This powerbar can be supplied by the end-user or can be ordered from Swiftspace. See page 38 for our Powerbar option. The manufacturer of our Powerbar suggests that you can “daisy chain” up to 4 stations at a time. However, the real constraint is the 15amp surge protection once the cumulative power draw of all of the devices reaches 15 amps then the breaker will go. As an FYI most laptops draw about 2-3 amps when using all of its functions at once.

Examples of how different layouts can be achieved with the same pre-determined power/data grid in the floor:



4 Standard Power Outlets in the Floor



Applications

HEIGHT ADJUSTABLE WORK SURFACES

MANY ORGANIZATIONS ARE NOW REQUIRED TO PROVIDE HEIGHT ADJUSTABLE WORK SURFACES FOR THEIR EMPLOYEES AS PART OF THEIR OVERALL ERGONOMIC PROGRAM.

This is because adjusting ones posture throughout the day from sitting to standing complies with the recommendations of today's industry experts. Research has proven that movement and its associated flexing of the spine improves one circulation and lubricates one's joints, which reduces long term muscle fatigue which makes for a better work environment.

Height adjustability can be achieved in a Swiftspace station in two ways:

- The first is to order any of our stations with a work surface on one side and no surface on the other. Then add in our height adjustable table with a work surface and now you have one side fixed and the other height adjustable. See pages 7 and 8.
- The second is to order our height adjustable work surface that clips right on to the station vertical panel. The fastening method ensures that it is securely locked on place. The mechanism has an adjustment range from 27" to 47". As the station has a number of different height locations on the panel starting as low as 24". The Swiftspace Height Adjust Surface features a level position throughout the range of height adjustment, an infinite number of stop positions, and a safe one inch clearance from the panel and adjacent surface at all times. To fold up the station you just lift off the adjustable height surface no tools required.

To order the clip on adjustable height surface add **ADJL** (Left) or **ADJR** (Right) to our standard model number and add \$1,190 to the List Price of the station.

level



above



below



APPLICATIONS

Visit our Design Centre on the website at www.swiftspaceinc.com for additional applications.

SWIFTSPACE

Fast And Flexible Workspace In Seconds



4 Station Office Layout



APPLICATIONS



Private Manager Stations



Mobile Wall Office

APPLICATIONS




APPLICATIONS

4 Person Study Carrel



Private Medical Review Area



APPLICATIONS

Folding Privacy Classrooms



Fliptop + Height Adjust Tables




Mobile Privacy Wall



APPLICATIONS

Rendezvous With Outside Fabric



Easily Configured Meeting Space



Reception Station



Models

ONE, TWO, THREE

SWIFTSPACE™ WORKSTATIONS OFFER
A FAST AND FLEXIBLE WORK SPACE
SOLUTION FOR BOTH OFFICE AND
PRODUCTION FACILITIES

A unique patented folding workspace incorporates all of the interior components to a lightweight but strong frame, mounted to swivel casters.

About Us

Swiftspace™ is a Canadian Company located in Ayr Ontario. The company was formed out of the belief that workers still want to have a work space they can call their own. The issue for employers is that today's work spaces are too complex and labour intensive to set-up, require specialty installation, and are inflexible, and immobile.

Our Mission:

To create nimble but functional workspaces that can be set up by everyone.

Vision:

We will be the company that takes rigid workspace situations and transforms them into simple, fast, and flexible solutions.

Values:

- We will be innovators on the way we transform space
- We will value the contributions of our employees
- We will never take our customers for granted
- We will value product quality and safety over anything else
- We will think about the environmental impact of everything we do

Swiftspace™ workstations have been tested and meet ANSI/BIFMA X5.6-2010 Standards. Test results are available upon request by contacting Customer Service.



Compatible Accessories

Area Task Light
Binder Holder

Power Bar
Pen/Pencil Holder

Station Cover

Accessory Rail/Slot Wall

Models

6'X6' L-SHAPED



Dimensions

Summit

Overall Height	66"	Overall Footprint	72.7" x 72.7"
Length Long Side	66"	Length Short Side	66"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	235 lbs.

Solo+

Overall Height	52"	Overall Footprint	72.7" x 72.7"
Length Long Side	66"	Length Short Side	66"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	205 lbs.

Solo

Overall Height	41"	Overall Footprint	72.7" x 72.7"
Length Long Side	66"	Length Short Side	66"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	175 lbs.

Social+

Overall Height	29"	Overall Footprint	72.7" x 72.7"
Length Long Side	66"	Length Short Side	66"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	145 lbs.



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Construction

Frame	40mm lightweight grey aluminum
Upper Panels Summit, Solo+ & Solo	4mm Twin Wall Clear Polycarbonate
Lower Panels	4mm melamine panels
Tops	25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF
Casters	63.5mm in diameter with grey rubber wheels that swivel and lock

Models

8'X8' L-SHAPED



Dimensions

Summit

Overall Height	66"	Overall Footprint	96" x 96"
Length Long Side	90"	Length Short Side	90"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	290 lbs.

Solo+

Overall Height	52"	Overall Footprint	96" x 96"
Length Long Side	90"	Length Short Side	90"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	250 lbs.

Solo

Overall Height	41"	Overall Footprint	96" x 96"
Length Long Side	90"	Length Short Side	90"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	235 lbs.

Social+

Overall Height	29"	Overall Footprint	96" x 96"
Length Long Side	90"	Length Short Side	90"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	200 lbs.



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Construction

Frame	40mm lightweight grey aluminum
Upper Panels Summit, Solo+ & Solo	4mm Twin Wall Clear Polycarbonate
Lower Panels	4mm melamine panels
Tops	25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF
Casters	63.5mm in diameter with grey rubber wheels that swivel and lock

Models

6' STRAIGHT SURFACE



Shown with long side on left and short side on right. Also available with short side on left and long side on right.

Dimensions

Summit			
Overall Height	66"	Overall Footprint	72.7" x 40.3"
Length Long Side	66"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	200 lbs.
<hr/>			
Solo+			
Overall Height	52"	Overall Footprint	72.7" x 40.3"
Length Long Side	66"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	185 lbs.
<hr/>			
Solo			
Overall Height	41"	Overall Footprint	72.7" x 40.3"
Length Long Side	66"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	185 lbs.
<hr/>			
Social+			
Overall Height	29"	Overall Footprint	72.7" x 40.3"
Length Long Side	66"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	175 lbs.



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Construction

Frame	40mm lightweight grey aluminum
Upper Panels Summit, Solo+ & Solo	4mm Twin Wall Clear Polycarbonate
Lower Panels	4mm melamine panels
Tops	25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF
Casters	63.5mm in diameter with grey rubber wheels that swivel and lock

Models

SPACE-SAVER L-SHAPED



Dimensions

Solo+

Overall Height	52"	Overall Footprint	54.5" x 54.5"
Length Long Side	48"	Length Short Side	48"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	155 lbs.

Solo

Overall Height	41"	Overall Footprint	54.5" x 54.5"
Length Long Side	48"	Length Short Side	48"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	130 lbs.

Social+

Overall Height	29"	Overall Footprint	54.5" x 54.5"
Length Long Side	48"	Length Short Side	48"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	125 lbs.



REFERENCE
See our Surfaces Section
on Pages 35-36

Construction

Frame	40mm lightweight grey aluminum
Upper Panels Solo+ & Solo	4mm Twin Wall Clear Polycarbonate
Lower Panels	4mm melamine panels
Tops	25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF
Casters	63.5mm in diameter with grey rubber wheels that swivel and lock

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Models

SPACE-SAVER STRAIGHT SURFACE



Shown with long side on left and short side on right. Also available with short side on left and long side on right.

Dimensions

Solo+

Overall Height	52"	Overall Footprint	54.5"x 40.3"
Length Long Side	48"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	130 lbs.

Solo

Overall Height	41"	Overall Footprint	54.5"x 40.3"
Length Long Side	48"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	125 lbs.

Social+

Overall Height	29"	Overall Footprint	54.5"x 40.3"
Length Long Side	48"	Length Short Side	34"
Depth Open	27"	Depth Closed	10"
Work Surface Height	29"	Unit Weight	115 lbs.



REFERENCE
See our Surfaces Section
on Pages 35-36

Construction

Frame	40mm lightweight grey aluminum
Upper Panels Solo+ & Solo	4mm Twin Wall Clear Polycarbonate
Lower Panels	4mm melamine panels
Tops	25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF
Casters	63.5mm in diameter with grey rubber wheels that swivel and lock



REFERENCE
See options page 3 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Surfaces

WORKSURFACE AND PANEL LAMINATE SELECTIONS



Colour Chart

Wilsonart Match	Swiftspace Code	Default Edge	Swatch
7054.60 Wild Cherry	CC01 WILDCHERRY	Rustik Cherry CODE - RC	
10776-60 Kensington Maple	CC02 MAPLE	Fusion Maple CODE - FM	
4783-60 White Tigris	CC03 WHITE TIGRIS	FolkStone CODE - FO	
4669-60 Natural Tigris	CC04 NATURAL TIGRIS	Sand CODE - SA	
4674-60 Evening Tigris	CC05 EVENING TIGRIS	Black CODE - BL	
4143-60 Neutral Glace	CC06 NEUTRALGLACE	Beige CODE - BE	
D354-60 Designer White	CC07 WHITE	Designer White CODE - DW	
D-439.60 Wallaby	CC08 PUMICE	Beige CODE - BE	
1572-60 Antique White	CC09 ANT.WHITE	Warm White CODE - WW	
D327-60 Pepper Dust	CC10 PEPPERDUST	Pepper Dust CODE - PD	
D381-60 Fashion Grey	CC12 GREY	Folk Stone CODE - FO	
4621-60 White Nebula	CC13 WHITE SPEC	Black CODE - BL	
7944-38 Madagascar	CC14 MADAGASCAR	Madagascar CODE - MD	
7952-38 Asian Sand	CC15 ASIAN SAND	Asian Sand CODE - AS	
7937-38 River Cherry	CC16 RIVER CHERRY	River Cherry CODE - RI	
7922.60 Brighton Walnut	CC21 WALNUT	NO EDGE MATCH/ USE BLACK DEFAULT	

To view a larger sample go to www.wilsonartcontract.com and enter in the code under the Wilsonart Match column.

Surfaces

WORKSURFACE POWDERCOATED SELECTIONS



Colour Chart

Colour Name	Swiftspace Code	Swatch
CC22 Black	NX652N14-0	
CC23 Dark Grey	NX652A42-0	
CC24 Midnight Frost (Textured)	NX652NK4-0	
CC25 Mont Blanc (Textured)	NX552AK2-0	
CC26 Light Green	NX652G8-0	
CC27 Honey Clear	NX652H20-0	
CC28 Khaki Brown	NX552M12-0	
CC29 Café Cream	NX552H21-0	
CC30 Beige	NX652H10-0	
CC31 White	NX652W35-0	
CC32 Chantilly White	NX552W37-0	
CC33 Extra White	NX552W38-0	
CC34 Red	NX552R16-0	

ACCESSORIES

Accessory Rail/Slot Wall



Made from aluminum, fastens to the interior uprights of the workwalls, length 34" or 45" for Space-saver
REFERENCE when ordering rail must specify location using diagram on page 3 and if you are ordering a custom wall length the accessory rail length will be adjusted for same price.

SSACR34 \$254
SSACR48 \$295

Binder Holder



Made from metal, fastens into the accessory rail, overall dimensions 10.5" wide x 10" deep x 8" high
REFERENCE holds up to 3 binders each 3 inches wide

SSBH1110 \$175

Pencil & Pen Holder



Made from metal, fastens into the accessory rail

SSPPH \$104

Legal Paper Shelf



Made from metal, fastens into the accessory rail, overall dimensions 17.75" wide x 9" deep

SSLPS189 \$119

Letter Paper Tray



Made from metal, fastens into the accessory rail, overall dimensions 13" wide x 9" deep

SSLPT139 \$107

ACCESSORIES

Monitor Arms (Single and Dual)



In silver, single screen holder, single or double extension, with 24" maximum reach and 13" counter-balanced arm height adjustment.

SSMAS \$298
SSMAD \$626

CPU Holder



Dual strap CPU Holder, can handle any CPU with width between 5" - 7" and up to 20" in height.

SSCPUH \$133

Add-On Privacy Panel



Available for both Solo and Solo+ heights the side privacy panel can be easily closed against the upper panel when not in use. Available in any of our upper panel materials.

SSAPP \$495

Area Task Light



17" long compact task light with 3W LED Light
REFERENCE Light connects to the centre bar of the station

SSATL \$474

Power Bar



Tripp-Lite Power Bar/ Suppressor with 6 right-angle outlets and 15ft power cord - Combination AC circuit breaker and 2 position on/off
REFERENCE Power Bar connects to the centre bar of the station

SSPB \$119

Station Cover



Pullover transportation and storage cover made from excess furniture grade vinyl.
REFERENCE If you are ordering a custom wall length the station cover size will be adjusted.

SSCSOLO \$275
SSCSOLOSPACE \$275

SSCSOLO+ \$275
SSCSOLO+SPACE \$275

Information

CONDITION OF SALES, RETURN POLICY & WARRANTY

Payment

All payments are fully due within 30 days after the date of shipment or pick up subject to the buyer passing credit approval. Buyer agrees not to withhold payment on any invoice because of partial delivery or open punch list items. A finance charge of 1-1/2 percent PER MONTH will be computed and added to all past due accounts. Annual percentage rate is 18 percent but in no event higher than the maximum allowed by law.

These terms and conditions of sale are those of Swiftspace Inc., a manufacturer established since 2009, whose business is the manufacturing of mobile workspaces.

Governing Provisions

All sales by **Swiftspace Inc.** ("Seller") are made subject to the following terms and conditions of sale. Seller objects to any additional or different terms contained in any purchase order or other communication previously or hereafter provided by buyer to Seller. No such additional or different terms will be of any force or effect; and buyer's placement of any order for goods to be provided by Seller constitutes buyer's unconditional acceptance of the following terms as the entire agreement between buyer and Seller with respect to the purchase and sale of such goods. The following terms and conditions, and any contract for the sale of goods by seller shall be governed by and construed in accordance with the laws of the province of Ontario, without reference to principles of conflicts of laws.

Prices

All prices are stated as list prices. All prices and minimum order requirements are subject to change without notice. Only authorized discounts may be applied at time of order.

F.O.B.

Unless otherwise agreed, all shipments and sales are made FOB AYR., CANADA. Freight is prepaid and added to your invoice as a separate line item. Freight quotes can be obtained on the Swiftspace website using the freight calculator.

Taxes

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by buyer. If buyer claims an exemption from any tax, buyer shall submit to Seller the appropriate exemption certificates

Warranties

A. Lifetime Warranty on all aluminum parts and metal hardware parts like posts, connectors, cantilevers, without recourse. Other exposed panel components are not covered by this life time warranty and will be considered in section B of this paragraph.

B. Products purchased from Seller may be manufactured by third parties, which may or may not provide a warranty to the purchasers of their products. Seller agrees, upon request by buyer, to assign to buyer any and all such warranties, without recourse. Seller warrants that all products manufactured by Seller and supplied here under will conform to the specifications submitted by buyer, and that such goods will be manufactured and inspected in accordance with the generally accepted practices of companies in the business of manufacturing. Seller warrants that all products manufactured by it and supplied hereunder shall be free from defects in materials and workmanship for a period of 5 years from the date of shipment. If, within such period, any such product shall be proved to Seller's satisfaction to be defective, such product shall be repaired or replaced at Seller's option. Such repair or replacement shall be Seller's sole obligation and buyer's exclusive remedy hereunder, and shall be conditioned upon Seller's receiving written notice of any alleged defect within 10 days after its discovery and, at Seller's option, return of such products to Seller, F.O.B. its factory.

Except for the warranties set forth in this paragraph, seller shall have no other obligation or liability to buyer, and hereby disclaims, any express or implied warranty of any products, including but not limited to any implied warranty of merchantability or fitness for particular purpose.

Any description of the product, whether in writing or made orally by Seller or Seller's agent, are for the sole purpose of identifying the product and shall not be construed as an express warranty. Any suggestions by Seller or Seller's agent regarding use, application or suitability of the product shall not be construed as an express warranty unless confirmed to be such in writing by Seller.

Exclusion of Consequential Damages and Disclaimer of Liability

Except as otherwise agreed in writing, Seller's liability with respect to the products sold hereunder shall be limited to the warranty provided and, with respect to other performance of this contract, shall be limited to that part of the contract price allocable to the product (or part thereof) that gives rise to the claim.

A. Seller shall not be subject to any disclaims: (1) any other obligations or liabilities arising out of breach of contract, (2) any obligations whatsoever arising from tort claims (including negligence and strict liability) or arising under other theories of law with respect to products sold or services rendered by seller, or any undertakings, acts or omissions relating thereto, and (3) all consequential, incidental and contingent damages whatsoever.

B. Without limiting the generality of the foregoing, Seller specifically disclaims any liability for penalties (including administrative penalties), special or punitive damages, damages for lost profits or revenues, cost of any product recall, loss of use of products or any associated equipment, cost of capital, facilities or services, downtime, shutdown or slowdown costs, or for any other types of economic loss.

Clerical Errors

Seller reserves the right to correct all clerical errors in any quotation, order acknowledgement or invoice, during the entire sales process.

Information

ENVIRONMENTAL FOOTPRINT

Doing Our Part for a Better Planet

Swiftspace™ Inc. recognizes our responsibilities for the environment and to our local community. At Swiftspace™ Inc., the goal of acting responsibly on behalf of the environment has the same status as producing highest-quality products and meeting our customer's needs. Consequently, environmental protection is a definite part of every employee's work. We are committed to complying with all relevant environmental legislation and regulations at the local, regional and national levels. We also subscribe to other requirements that push our company to continually improve our environmental performance through appropriate initiatives, controls, provision of resources and training of employees. The aim is to minimize adverse impacts on the environment of our processes, products and services.

Management objectives are established and reviewed on a regular basis to implement our environmental policy. These are based on a commitment to the following six environmental principles:

1. The use of innovative product design to minimize the environmental impact of the use of natural resources, packaging, and transportation
2. Minimization of energy, material usage and the production of waste in our manufacturing processes
3. Effective, responsible waste management and disposal
4. Promoting the reuse and recycling of products
5. Maintaining a high awareness of environmental issues in the workforce.
6. Involving our suppliers, contractors and customers in environmental initiatives.

Materials

- All Wilsonart Laminates meet the Greenguard Standard for Low Emitting Products.
- The particleboard and medium density fibre-board substrates are CARB Compliant as they are produced using no added urea-formaldehyde resin process, and are made from 100% recycled and/or recovered (pre-consumer wood material).
- Adhesives used for laminating are solvent free water based PVA that meet Greenguard Indoor Air Quality Standards for Low Emitting Products for the Adhesive and Sealant Category.
- The production of the polycarbonate used in the upper panels uses over 99% of the raw material. Any edge trim or other scrap material is reground and utilized into other polycarbonate products. Typically the polycarbonate contains up to 20% of reground material.
- The powdercoat material meets the LEED Indoor Quality Credit 4.2 for Low Emitting Material Paints and Coatings and emits zero VOC when fully cured.
- Packaging is made of recycled content and designed for reuse where possible.
- Our vinyl station covers are 100% made from scrap seating upholstery gathered diverted from landfill.

Process/Design

- The stations can be set-up and then reconfigured hundreds of times without losing their structural integrity.
- All panel dimensions have been engineered to maximize the utilization of 4 x 8 sheets of material.
- During assembly of the final product no scrap or waste is generated.
- All components can be easily changed out in the field to new piece, which will increase life cycle of product.

Transportation/Carbon Footprint Savings

- Major Suppliers are located within a 50-mile radius of our facility.
- All aluminum and panel parts are shipped from major suppliers on reusable skids.
- Product ships on casters with a single cardboard sleeve. Therefore product does not require tow motors for offloading or putting in place.
- Product ships in approximately 15% of space of a standard workstation and has about 40-50% of the weight.
- No installers required for set-up or reconfiguration therefore reducing the fuel costs of installers travelling to site.



Information

ORDERING



SOUTHWEST **SOLUTIONS** GROUP
business organization systems

www.southwestsolutions.com

Toll Free 1-800-803-1083